



MAIN PLAN





© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:

1. ALL DIMENSIONS AND LEVELS IN METRES, EXCEPT IF NOTED OTHERWISE.
2. ALL LEVELS TO MALIN HEAD DATUM.
3. CO-ORDINATE SYSTEM IS: IRISH TRANSVERSE MERCATOR.
4. REFER TO ARCHITECTS PLAN LAYOUTS FOR SITE BOUNDARY / CLIENT OWNERSHIP BOUNDARY / WORKS BOUNDARY.

- FOUL WATER:**
1. FOUL SEWER PIPE MATERIAL SHALL BE uPVC WHICH IS IN ACCORDANCE WITH SECTION 3.13 OF THE WASTEWATER CODE OF PRACTICE.
 2. TYPICAL SERVICE LAYOUT DISTANCES (HORIZONTALLY AND VERTICALLY) AS PER DETAIL STD-WW-05.
 3. ALL FOUL MANHOLE DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STANDARD DETAILS STD-WW-09, STD-WW-10, STD-WW-11 AND STD-WW-12.
 4. TRENCH DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STD-WW-07, STD-WW-08 AND STD-WW-13.
 5. DRAIN CONNECTIONS FROM BUILDINGS TO BE MINIMUM 150mmØ U.N.O. @ 1:100.
 6. ALL MAIN SEWERS WITH LESS THAN 1.2m COVER UNDER ROADS AND 0.8m COVER UNDER GRASSED AREAS AND FOOTPATHS TO BE SURROUNDED IN 150mm CONCRETE.
 7. MANHOLES, AIS AND SERVICE COVERS LOCATED IN BLOCK PAVED OR PAVING SLAB AREAS ARE TO HAVE RECESSED COVERS TO RECEIVE PAVINGS TO MATCH ADJACENT PAVING MATERIALS.
 8. ALL COVERS IN PUBLIC AREAS TO BE IS EN 124 D400 UNLESS NOTED OTHERWISE & NON-LOCKABLE.
 9. REFER TO DRAWING 230146-X-92-X-DTM-DR-DBFL-CE-3101 FOR FOUL SEWER LONGITUDINAL SECTIONS.
 10. ALL WORKS TO BE UNDERTAKEN IN ACCORDANCE WITH:
 - IRISH WATER CONNECTION AND DEVELOPER SERIES STANDARD DETAILS
 - TII SPECIFICATION FOR ROADWORKS
 - GREATER DUBLIN CODE OF PRACTICE FOR DRAINAGE WORKS RECOMMENDATIONS FOR SITE DEVELOPMENT WORKS
 11. CE CERTIFICATION TO BE PROVIDED FOR ALL PRODUCTS COVERED BY THE EU CONSTRUCTION PRODUCTS REGULATION (NO.3052011-CPB).
 12. ALL MATERIALS PROPOSED FOR USE ON SITE TO BE APPROVED PRIOR TO ARRIVAL ON SITE.
 13. LEVELS AND POSITIONS OF ALL EXISTING SERVICES TO BE CONFIRMED ON SITE PRIOR TO CONSTRUCTION.
 14. ALL FOUL INSPECTION CHAMBER DETAILS ARE TO BE CONSTRUCTED IN ACCORDANCE WITH STANDARD DETAILS STD-WW-13.



1	29.02.24	REVISED FOR PLANNING	KJL/E	RSP
0	13.10.23	ISSUED FOR INFORMATION	CDC	RSP
rev	date	description	by	chkd.

purpose P3 - PLANNING PERMISSION acceptance S - ISSUED

DBFL Consulting Engineers
Civil, Structural & Transportation Engineering
www.dbfl.ie

DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, D07 W0T4
PHONE: +353 1 400 4000
CORK OFFICE: 14 South Mall, Cork, T12 CT91
PHONE: +353 21 2034338

WATERFORD OFFICE: Suite 80 The Atrium, Marlboro Gate, Canalside Street, Waterford, X91 W028
PHONE: +353 51 309 500

GALWAY OFFICE: Orson House, 7 Eyre Square, Galway, H91 YNCS
PHONE: +353 91 53 95 00

project ref. MIXED USE DEVELOPMENT (LRD),
SANTRY AVENUE, DUBLIN

drawing title FOUL LAYOUT PLAN

client DWYER NOLAN DEVELOPMENTS

designed by RSP	author CDC	scale 1:250	sheet size A1
drawing no. 230146-X-92-X-DTM-DR-DBFL-CE-1101	revision 1		